



碧云天生物技术/Beyotime Biotechnology  
订货热线：400-168-3301或800-8283301  
订货e-mail：order@beyotime.com  
技术咨询：info@beyotime.com  
网址：http://www.beyotime.com

## BCA蛋白浓度测定试剂盒

产品编号	产品名称	包装
P0012S	BCA蛋白浓度测定试剂盒	200次

### 产品简介：

- BCA蛋白浓度测定试剂盒(BCA Protein Assay Kit)是根据目前世界上最常用的两种蛋白浓度检测方法之一BCA法研制而成，实现了蛋白浓度测定的简单、高稳定性、高灵敏度和高兼容性。
- 灵敏度高，检测浓度下限达到 $25\mu\text{g}/\text{ml}$ ，最小检测蛋白量达到 $0.5\mu\text{g}$ ，待测样品体积为 $1\text{-}20\mu\text{l}$ 。
- 在 $50\text{-}2000\mu\text{g}/\text{ml}$ 浓度范围内有较好的线性关系。
- BCA法测定蛋白浓度不受绝大部分样品中的化学物质的影响，可以兼容样品中高达5%的SDS，5%的Triton X-100，5%的Tween20、60、80。但本试剂盒受螯合剂和略高浓度的还原剂的影响，需确保EDTA低于 $10\text{mM}$ ，无EGTA，二硫苏糖醇(DTT)低于 $1\text{mM}$ ， $\beta$ -巯基乙醇( $\beta$ -Mercaptoethanol)低于0.01%。不适用BCA法时建议试用碧云天生产的Bradford蛋白浓度测定试剂盒(P0006)。
- BCA蛋白浓度测定试剂盒对样品中各种物质的详细的兼容性，请参见碧云天如下网页：  
<http://www.beyotime.com/Compatibility Chart For BCA Kit.pdf>.
- 每个试剂盒可以检测200个样品。

### 包装清单：

产品编号	产品名称	包装
P0012S-1	BCA试剂 A	40ml
P0012S-2	BCA试剂 B	1.2ml
P0012S-3	蛋白标准(BSA)	20mg
P0012S-4	蛋白标准配制液	1ml
—	说明书	1份

### 保存条件：

室温保存。蛋白标准配制成溶液后-20°C冻存。

### 注意事项：

- 需酶标仪一台，测定波长为 $540\text{-}595\text{nm}$ 之间， $562\text{nm}$ 最佳。需96孔板。如果没有酶标仪，也可以使用普通的分光光度计测定，但测定时，需根据比色皿的最小检测体积，适当加大BCA工作液的用量使不小于最小检测体积，样品和标准品的用量可相应按比例放大也可不变。使用分光光度计测定蛋白浓度时，每个试剂盒可以测定的样品数量可能会显著减少。
- 如发现样品稀释液或裂解液本身就有较高背景，请试用碧云天生产的Bradford蛋白浓度测定试剂盒(P0006)。
- 为了加快BCA法测定蛋白浓度的速度可以适当用微波炉加热，但是切勿过热。
- EDTA浓度必须小于 $10\text{mM}$ ，不兼容EGTA。不适用BCA法时，请试用碧云天生产的Bradford蛋白浓度测定试剂盒(P0006)。
- 本产品仅限于专业人员的科学研究用，不得用于临床诊断或治疗，不得用于食品或药品，不得存放于普通住宅内。
- 为了您的安全和健康，请穿实验服并戴一次性手套操作。

### 使用说明：

#### 1. 蛋白标准品的准备

- a. 取 $0.8\text{ml}$ 蛋白标准配制液加入到一管蛋白标准( $20\text{mg BSA}$ )中，充分溶解后配制成 $25\text{mg/ml}$ 的蛋白标准溶液。配制后可立即使用，也可以-20°C长期保存。
- b. 取适量 $25\text{mg/ml}$ 蛋白标准，稀释至终浓度为 $0.5\text{mg/ml}$ 。例如取 $20\mu\text{l}$   $25\text{mg/ml}$ 蛋白标准，加入 $980\mu\text{l}$ 稀释液即可配制成 $0.5\text{mg/ml}$ 蛋白标准。蛋白样品在什么溶液中，标准品也宜用什么溶液稀释。但是为了简便起见，也可以用 $0.9\%$  NaCl或PBS稀释标准品。稀释后的 $0.5\text{mg/ml}$ 蛋白标准可以-20°C长期保存。

#### 2. BCA工作液配制

根据样品数量，按50体积BCA试剂A加1体积BCA试剂B(**50:1**)配制适量BCA工作液，充分混匀。例如 $5\text{ml}$  BCA试剂A加 $100\mu\text{l}$  BCA试剂B，混匀，配制成 $5.1\text{ml}$  BCA工作液。BCA工作液室温24小时内稳定。

#### 3. 蛋白浓度测定

- a. 将标准品按 $0\text{、}1\text{、}2\text{、}4\text{、}8\text{、}12\text{、}16\text{、}20\mu\text{l}$ 加到96孔板的标准品孔中，加标准品稀释液补足到 $20\mu\text{l}$ ，相当于标准品浓度分别为 $0\text{、}0.025\text{、}0.05\text{、}0.1\text{、}0.2\text{、}0.3\text{、}0.4\text{、}0.5\text{mg/ml}$ 。

- b. 加适当体积样品到96孔板的样品孔中。如果样品不足20μl，需加标准品稀释液补足到20μl。请注意记录样品体积。
- c. 各孔加入**200μl BCA工作液**，37°C放置20-30分钟。  
注：也可以室温放置2小时，或60°C放置30分钟。BCA法测定蛋白浓度时，颜色会随着时间的延长不断加深。并且显色反应会因温度升高而加快。如果浓度较低，适合在较高温度孵育，或适当延长孵育时间。
- d. 用酶标仪测定A562，或540-595nm之间的其他波长的吸光度。
- e. 根据标准曲线和使用的样品体积计算出样品的蛋白浓度。

## 常见问题：

### 1. 测定标准曲线时发现随着标准品浓度的增加吸光度或颜色没有明显变化。

可能的原因是样品中含有严重干扰BCA法测定蛋白浓度的物质，详细的BCA法的兼容性列表请参考碧云天如下网页：  
[http://www.beyotime.com/Compatibility Chart For BCA Kit.pdf](http://www.beyotime.com/Compatibility%20Chart%20For%20BCA%20Kit.pdf)

### 2. 是否每次测定时都需要做标准曲线？

建议每次测定时都做标准曲线。因为BCA法测定时颜色会随着时间的延长不断加深，并且显色反应的速度和温度有关，所以除非精确控制显色反应的时间和温度，否则如需精确测定宜每次都做标准曲线。

## 相关产品：

产品编号	产品名称	包装
P0006	Bradford蛋白浓度测定试剂盒	1000次
P0006C	Bradford蛋白浓度测定试剂盒(去垢剂兼容型)	800次
P0007	蛋白标准(5mg/ml BSA)	1ml
P0009	BCA蛋白浓度测定试剂盒(增强型)	5000次
P0010	BCA蛋白浓度测定试剂盒(增强型)	500次
P0010S	BCA蛋白浓度测定试剂盒(增强型)	200次
P0011	BCA蛋白浓度测定试剂盒	5000次
P0012	BCA蛋白浓度测定试剂盒	500次
P0012S	BCA蛋白浓度测定试剂盒	200次

## 使用本产品的文献：

1. Liu MJ, Wang Z, Li HX, Wu RC, Liu YZ, Wu QY. Mitochondrial dysfunction as an early event in the process of apoptosis induced by woodfordin I in human leukemia K562 cells. *Toxicol Appl Pharmacol.* 2004 Jan 15;194(2):141-155.
2. Wu RC, Chen DF, Liu MJ, Wang Z. Dual effects of cycloheximide on U937 apoptosis induced by its combination with VP-16. *Biol Pharm Bull.* 2004 Jul;27(7):1075-1080.
3. Zheng CH, Gao JQ, Zhang YP, Liang WQ. A protein delivery system: biodegradable alginate-chitosan-poly(lactic-co-glycolic acid) composite microspheres. *Biochem Biophys Res Commun.* 2004 Oct 29; 323(4):1321-1327.
4. Wu RC, Wang Z, Liu MJ, Chen DF, Yue XS. Yue.  $\beta$  2-integrins mediate a novel form of chemoresistance in cycloheximide-induced U937 apoptosis. *Cell. Mol. Life Sci.* 2004;61(16):2071-2082.
5. Zhong-shu Liang, Kan Yang, Ben-mei Chen. Cholesterol in U937 foam cells assayed in liquid chromatographic-mass spectrometry. *Chin J Mod Med.* 2004;14(20):51-56.
6. Liu MJ, Yue PY, Wang Z, Wong RN. Methyl protodioscin induces G2/M arrest and apoptosis in K562 cells with the hyperpolarization of mitochondria. *Cancer Lett.* 2005;224:229-241.
7. Liu MJ, Wang Z, Ju Y, Wong RN, Wu QY. Diosgenin induces cell cycle arrest and apoptosis in human leukemia K562 cells with the disruption of Ca<sup>2+</sup> homeostasis. *Cancer Chemother Pharmacol.* 2005 Jan;55(1):79-90.
8. Le-feng Zhang, Shuang-qing Peng, Sheng Wang. Influence of lead (Pb<sup>2+</sup>) on the reactions of in vitro cultured rat aorta to 5-hydroxytryptamine. *Toxicology Letters.* 2005;159:71-82.
9. Wu ZQ, Li M, Chen J, Chi ZQ, Liu JG. Involvement of cAMP/cAMP-dependent protein kinase signaling pathway in regulation of Na<sup>+</sup>,K<sup>+</sup>-ATPase upon activation of opioid receptors by morphine. *Mol Pharmacol.* 2006 Mar;69(3):866-876.
10. Wang Yichao, Zhou Quanming, Ren Jiamin, Liu Jian, Wang Xiaoqin. Preparation and character of microspheres of Helicobacter pylori whole cell protein encapsulated by chitosan-alginate. *West China Journal of Pharmaceutical Sciences.* 2005;20(5):375-377.
11. Yi ZC, Liu YZ, Li HX, Yin Y, Zhuang FY, Fan YB, Wang Z. Tellimagrandin I enhances gap junctional communication and attenuates the tumor phenotype of human cervical carcinoma HeLa cells in vitro. *Cancer Lett.* 2006 Oct 8;242(1):77-87.
12. Ma JF, Guo JL, Peng LW, Chen CY, Zhang LX. Decrease of photosystem II photochemistry in *Arabidopsis* ppt1 mutant is dependent on leaf age. *J Integr Plant Biol.* 2006;48(12):1409-1414.
13. Huang YY, Deng JY, Gu J, Zhang ZP, Maxwell A, Bi LJ, Chen YY, Zhou YF, Yu ZN, Zhang XE. The key DNA-binding residues in the C-terminal domain of *Mycobacterium tuberculosis* DNA gyrase A subunit (GyrA). *Nucleic Acids Res.* 2006;34(19):5650-5659.
14. Wu ZQ, Chen J, Chi ZQ, Liu JG. Involvement of dopamine system in regulation of Na<sup>+</sup>,K<sup>+</sup>-ATPase in the striatum upon activation of opioid receptors by morphine. *Mol Pharmacol.* 2007 Feb;71(2):519-530.
15. Zong-Chun Yi, Hong Wang, Guang-Yao Zhang, Bing Xia. Down regulation of connexin 43 in nasopharyngeal carcinoma cells is related to promoter methylation. *Oral Oncol.* 2007 Oct;43(9):898-904.
16. Dong S, Li C, Wu P, Tsien JZ, Hu Y. Environment enrichment rescues the neurodegenerative phenotypes in presenilins-deficient mice. *Eur J Neurosci.* 2007 Jul;26(1):101-112.
17. Wang Q, Liang C, Song J, Chen X. HA2 from the *Helicoverpa armigera* nucleopolyhedrovirus: a WASP-related protein that activates Arp2/3-induced actin filament formation. *Virus Res.* 2007 Jul; 127(1): 81-87.
18. Wang ZL, Li JL, Wang CB. The role of tumor necrosis factor related apoptosis inducing ligand and Polypeptide from *Chlamys farreri* in UVA-induced apoptosis in HaCaT cells. *Chinese Pharmacological Bulletin.* 2007 Oct;23(10):1375-1379.
19. Pan YQ, Ding D, Li DX, Chen SQ. Expression and bioactivity analysis of Staphylococcal enterotoxin M and N. *Protein Expr Purif.* 2007 Dec; 56(2):286-292.
20. Nie H, Li Z, Lukas RJ, Shen Y, Song L, Wang X, Yin M. Construction of SH-EP1-alpha4beta2-hAPP695 Cell Line and Effects of Nicotinic Agonists on beta-amyloid in the Cells. *Cell Mol Neurobiol.* 2008 Jan;28(1):103-112.
21. Zhang H, Deng JY, Bi LJ, Zhou YF, Zhang ZP, Zhang CG, Zhang Y, Zhang XE. Characterization of *Mycobacterium tuberculosis* nicotinamidase/pyrazinamidase. *FEBS J.* 2008 Feb;275(4):753-762.
22. Liu C, Wang Q, Guo H, Xia M, Yuan Q, Hu Y, Zhu H, Hou M, Ma J, Tang Z, Ling W. Plasma S-adenosylhomocysteine is a better biomarker of atherosclerosis than homocysteine in apolipoprotein E-deficient mice fed high dietary methionine. *J Nutr.* 2008 Feb;138(2):311-315.

23. hang GG, Shi RZ, Jiang DJ, Chen YR, Jia-Chen , Tang ZY, Bai YP, Xiao HB, Li YJ. Involvement of the endothelial DDAH/ADMA pathway in nitroglycerin tolerance: the role of ALDH-2. *Life Sci.* 2008 Mar 26; 82(13-14):699-707.
24. Fu Y, Zhang Z, Zhang G, Liu Y, Cao Y, Yu J, Hu J, Yin X. Adenovirus-mediated gene transfer of tissue factor pathway inhibitor induces apoptosis in vascular smooth muscle cells. *Apoptosis.* 2008 May; 13(5):634-640.
25. Tian B, Wang Z, Zhao Y, Wang D, Li Y, Ma L, Li X, Li J, Xiao N, Tian J, Rodriguez R. Effects of curcumin on bladder cancer cells and development of urothelial tumors in a rat bladder carcinogenesis model. *Cancer Lett.* 2008 Jun 18;264(2):299-308.
26. Yuan Q, Li PD, Li BH, Yang XZ, Xu SB, Liu XH, Zhou FX, Zhang WJ. Differential IL-4/Stat6 activities correlate with differential expression of regulatory genes SOCS-1, SHP-1, and PP2A in colon cancer cells. *J Cancer Res Clin Oncol.* 2009 Jan;135(1):131-140.
27. He X, Zhang Z, Zhang H, Zhao Y, Chai Z. Neurotoxicological evaluation of long-term lanthanum chloride exposure in rats. *Toxicol Sci.* 2008 Jun;103(2):354-361.
28. Wan F, You J, Sun Y, Zhang XG, Cui FD, Du YZ, Yuan H, Hu FQ. Studies on PEG-modified SLNs loading vinorelbine bitartrate (I): preparation and evaluation in vitro. *Int J Pharm.* 2008 Jul 9; 359(1-2):104-110.
29. Chen M, Li Y, Yang T, Wang Y, Bai Y, Xie X. ADMA induces monocyte adhesion via activation of chemokine receptors in cultured THP-1 cells. *Cytokine.* 2008 Aug;43(2):149-159.
30. Hu X, Zhou J, Zhang N, Tan H, Gao C. Preparation and properties of an injectable scaffold of poly(lactic-co-glycolic acid) microparticles/chitosan hydrogel. *J Mech Behav Biomed Mater.* 2008 Oct;1(4):352-359.
31. Zhu M, Gu F, Shi J, Hu J, Hu Y, Zhao Z. Increased oxidative stress and astrogliosis responses in conditional double-knockout mice of Alzheimer-like presenilin-1 and presenilin-2. *Free Radic Biol Med.* 2008 Nov 15;45(10):1493-1499.
32. Li W, Liu Y, Zhang JW, Ai CZ, Xiang N, Liu HX, Yang L. Anti-androgen-independent prostate cancer effects of ginsenoside metabolites in vitro: mechanism and possible structure-activity relationship investigation. *Arch Pharm Res.* 2009 Jan;32(1):49-57.
33. Liu XS, Jiang J, Jiao XY, Wu YE, Lin JH, Cai YM. Lycorine induces apoptosis and down-regulation of Mcl-1 in human leukemia cells. *Cancer Lett.* 2009 Feb 8;274(1):16-24.
34. Liu X, Zhang Z, Li P, Zhu L, Wang Y, Wang C. Polypeptide from *Chlamys farreri* modulates UVB-induced activation of NF-kappaB signaling pathway and protection HaCaT cells from apoptosis. *Regul Pept.* 2009 Feb 25;153(1-3):49-55.
35. Xu J, Wang S, Lin Y, Cao L, Wang R, Chi Z. Ghrelin protects against cell death of hippocampal neurons in pilocarpine-induced seizures in rats. *Neurosci Lett.* 2009 Mar 27;453(1):58-61.
36. Zhang LF, Peng SQ, Wang S. Decreased aortic contractile reaction to 5-hydroxytryptamine in rats with long-term hypertension induced by lead (Pb<sup>2+</sup>) exposure. *Toxicol Lett.* 2009 Apr 25;186(2):78-83.
37. Dong C, Wang Y, Zhu YZ. Asymmetric synthesis and biological evaluation of Danshensu derivatives as anti-myocardial ischemia drug candidates. *Bioorg Med Chem.* 2009 May 1;17(9):3499-3507.
38. Xiao X, Liu A, Wen H, Tian Y, Ni J, Liu G. Expression and localization of transcription factor Ets-1 in the rat ovary during the estrous cycle and pregnancy. *Fertil Steril.* 2009 May;91(5 Suppl):1998-2005.
39. Cheng B, Song J, Zou Y, Wang Q, Lei Y, Zhu C, Hu C. Responses of vascular smooth muscle cells to estrogen are dependent on balance between ERK and p38 MAPK pathway activities. *Int J Cardiol.* 2009 May 29;134(3):356-365.
40. Chen B, Gao XQ, Yang CX, Tan SK, Sun ZL, Yan NH, Pang YG, Yuan M, Chen GJ, Xu GT, Zhang K, Yuan QL. Neuroprotective effect of grafting GDNF gene-modified neural stem cells on cerebral ischemia in rats. *Brain Res.* 2009 Aug 11;1284:1-11.
41. Ding D, Huang P, Sun H, Xue Q, Pan Y, Chen S. Identification of protein components and quantitative immunoassay for SEC2 in staphylococcal injection. *J Pharm Biomed Anal.* 2009 Aug 15;50(1):79-85.
42. Liu X, Shi S, Ye J, Liu L, Sun M, Wang C. Effect of polypeptide from *Chlamys farreri* on UVB-induced ROS/NF-kappaB/COX-2 activation and apoptosis in HaCaT cells. *J Photochem Photobiol B.* 2009 Aug 3; 96(2):109-116.
43. Ma K, Hu M, Qi Y, Qiu L, Jin Y, Yu J, Li B. Structure-transfection activity relationships with glucocorticoid-polyethyl-enimine conjugate nuclear gene delivery systems. *Biomaterials.* 2009 Aug; 30(22): 3780-9.
44. Wang YL, Wang CY, Zhang BJ, Zhang ZZ. Shenfu injection suppresses apoptosis by regulation of Bcl-2 and caspase-3 during hypoxia/reoxygenation in neonatal rat cardiomyocytes in vitro. *Mol Biol Rep.* 2009 Feb;36(2):365-370.
45. Liao Z, Huang C, Zhou F, Xiong J, Bao J, Zhang H, Sun W, Xie C, Zhou Y. Radiation enhances suicide gene therapy in radioresistant laryngeal squamous cell carcinoma via activation of a tumor-specific promoter. *Cancer Lett.* 2009 Sep 28;283(1):20-28.
46. Chen Y, Wang J, Yao Y, Yuan W, Kong M, Lin Y, Geng D, Nie R. CRP regulates the expression and activity of tissue factor as well as tissue factor pathway inhibitor via NF-kappaB and ERK 1/2 MAPK pathway. *FEBS Lett.* 2009 Sep 3;583(17):2811-2818.
47. Chen WL, Qian Y, Meng WF, Pang JY, Lin YC, Guan YY, Chen SP, Liu J, Pei Z, Wang GL. A novel marine compound xyloketal B protects against oxidized LDL-induced cell injury in vitro. *Biochem Pharmacol.* 2009 Oct 15;78(8):941-50.
48. Hua W, Jiang J, Rong X, Wu R, Qiu H, Zhang Y, Chen Q. The dual role of the cystathione gamma-lyase/hydrogen sulfide pathway in CVB3-induced myocarditis in mice. *Biochem Biophys Res Commun.* 2009 Oct 23;388(3):595-600.
49. Lin Y, Chen Y, Yang X, Xu D, Liang S. Proteome analysis of a single zebrafish embryo using three different digestion strategies coupled with liquid chromatography-tandem mass spectrometry. *Anal Biochem.* 2009 Nov 15;394(2):177-185.
50. Xu Y, Ge R, Du J, Xin H, Yi T, Sheng J, Wang Y, Ling C. Corosolic acid induces apoptosis through mitochondrial pathway and caspase activation in human cervix adenocarcinoma HeLa cells. *Cancer Lett.* 2009 Nov 1; 284(2):229-237.
51. Zhou CL, Yu XJ, Chen LM, Jiang H, Li CY. Corticotropin-releasing hormone attenuates vascular endothelial growth factor release from human HaCaT keratinocytes. *Regul Pept.* 2010 Feb 25;160(1-3):115-120.
52. Chen S, Chen Y, Hu C, Jing H, Cao Y, Liu X. Association of clinicopathological features with UbcH10 expression in colorectal cancer. *J Cancer Res Clin Oncol.* 2010 Mar;136(3):419-426.
53. Yuan D, Pan Y, Zhang J, Shao C. Role of nuclear factor-kappaB and P53 in radio adaptive response in Chang live cells. *Mutat Res.* 2010 Jun 1;688(1-2):66-71.
54. Li F, Gong QH, Wu Q, Lu YF, Shi JS. Icariin isolated from *Epimedium brevicornum Maxim* attenuates learning and memory deficits induced by d-galactose in rats. *Pharmacol Biochem Behav.* 2010;96(3):301-305.
55. Wu GJ, Zhou LZ, Wang KW, Chen F, Sun Y, Duan YR, Zhu YJ, Gu HC. Hydroxylapatite nanorods: An efficient and promising carrier for gene transfection. *J Colloid Interface Sci.* 2010 May 15;345(2):427-432.
56. Qin XL, Bi HC, Wang XD, Li JL, Wang Y, Xue XP, Chen X, Wang CX, Xu le J, Wang YT, Huang M. Mechanistic understanding of the different effects of Wuzhi Tablet (*Schisandra sphenanthera* extract) on the absorption and first-pass intestinal and hepatic metabolism of Tacrolimus (FK506). *Int J Pharm.* 2010;389(1-2):114-121.
57. Lin Y, Xu J, Cao L, Han Y, Gao J, Xie N, Zhao X, Jiang H, Chi Z. Mitochondrial base excision repair pathway failed to respond to status epilepticus induced by pilocarpine. *Neurosci Lett.* 2010;474(1):22-25.
58. Zhao L, Wang X, Chang Q, Xu J, Huang Y, Guo Q, Zhang S, Wang W, Chen X, Wang J. Neferine, a bisbenzylisoquinoline alkaloid attenuates bleomycin-induced pulmonary fibrosis. *Eur J Pharmacol.* 2010; 627(1-3):304-312.
59. Yan J, Sun XB, Wang HQ, Zhao H, Zhao XY, Xu YX, Guo JC, Zhu CQ. Chronic restraint stress alters the expression and distribution of phosphorylated tau and MAP2 in cortex and hippocampus of rat brain. *Brain Res.* 2010;1347:132-141.
60. Yuan H, Zhang W, Du YZ, Hu FQ. Ternary nanoparticles of anionic lipid nanoparticles/protamine/DNA for gene delivery. *Int J Pharm.* 2010; 392(1-2):224-231.
61. Ding XL, Wang YH, Ning LP, Zhang Y, Ge HY, Jiang H, Wang R, Yue SW. Involvement of TRPV4-NO-cGMP-PKG pathways in the development of thermal hyperalgesia following chronic compression of the dorsal root ganglion in rats. *Behav Brain Res.* 2010;208(1):194-201.
62. Huang LH, Hu JQ, Tao WQ, Li YH, Li GM, Xie PY, Liu XS, Jiang J. Gossypol inhibits phosphorylation of Bcl-2 in human leukemia HL-60 cells. *Eur J Pharmacol.* 2010;645(1-3):9-13.
63. Sun J, Sha B, Zhou W, Yang Y. VEGF-mediated angiogenesis stimulates neural stem cell proliferation and differentiation in the premature brain. *Biochem Biophys Res Commun.* 2010;394(1):146-152.

64. Cao BY, Yang YP, Luo WF, Mao CJ, Han R, Sun X, Cheng J, Liu CF. Paeoniflorin, a potent natural compound, protects PC12 cells from MPP<sup>+</sup> and acidic damage via autophagic pathway. *J Ethnopharmacol.* 2010; 131(1):122-129.
65. Li C, Xing C, Dong M, Zhou L, Li J, Wang G, Zou D, Wang R, Liu J, Niu Y. Beta-asarone protection against beta-amyloid-induced neurotoxicity in PC12 cells via JNK signaling and modulation of Bcl-2 family proteins. *Eur J Pharmacol.* 2010 Jun 10;635(1-3):96-102.
66. Baohua Y, Li L. Effects of SIRT6 silencing on collagen metabolism in human dermal fibroblasts. *Cell Biol Int.* 2012 Jan;36(1):105-108.
67. Han X, Lu M, Wang S, Lv D, Liu H. Targeting IKK/NF- $\kappa$ B pathway reduces infiltration of inflammatory cells and apoptosis after spinalcord injury in rats. *Neurosci Lett.* 2012 Mar 5;511(1):28-32.
68. Xiao O, Xie ZL, Lin BW, Yin XF, Pi RB, Zhou SY. Minocycline inhibits alkali burn-induced corneal neovascularization in mice. *PLoS One.* 2012;7(7):e41858.
69. Li TT, Zhang YS, He L, Liu B, Shi RZ, Zhang GG, Peng J. Inhibiton of vascular peroxidase alleviates cardiac dysfunction and apoptosis induced by ischemia-reperfusion. *Can J Physiol Pharmacol.* 2012 Jul; 90(7):851-862.
70. Jiang L, Lin J, Han H, Dong H, Zhao Q, Zhu S, Huang B. Identification and Characterization of Eimeria tenella Apical Membrane Antigen-1 (AMA1). *PLoS One.* 2012;7(7):e41115.
71. Zhang YS, He L, Liu B, Li NS, Luo XJ, Hu CP, Ma QL, Zhang GG, Li YJ, Peng J. A novel pathway of NADPH oxidase/vascular peroxidase 1 in mediating oxidative injury followingischemia-reperfusion. *Basic Res Cardiol.* 2012;107(3):266.
72. Zhao P, Han T, Guo JJ, Zhu SL, Wang J, Ao F, Jing MZ, She YL, Wu ZH, Ye LB. HCV NS4B induces apoptosis through the mitochondrial death pathway. *Virus Res.* 2012 Oct;169(1):1-7.
73. Zhang Y, Xu Y, Zhu Q, Zhao F, Luo J, Zhang X, Wang X. Upregulation of dysbindin in temporal lobe epileptic foci of human and experimental animals. *Synapse.* 2012 Jul;66(7):622-629.
74. Zhao XY, Zhu YJ, Chen F, Wu J. Calcium phosphate nanocarriers dual-loaded with bovine serum albumin and ibuprofen: facile synthesis, sequential drug loading and sustained drug release. *Chem Asian J.* 2012 Jun;7(7):1610-1615.
75. Yang L, Cheng F, Liu T, Lu JR, Song K, Jiang L, Wu S, Guo W. Comparison of mesenchymal stem cells released from poly(N-isopropylacrylamide) copolymerfilm and by trypsinization. *Biomed Mater.* 2012 Jun;7(3):035003.
76. Sun X, Cheng F, Meng B, Yang B, Song W, Yuan H. Pregnanolone sulfate decreases intraocular pressure and changes expression of sigma receptorin a model of chronic ocular hypertension. *Mol Biol Rep.* 2012 Jun;39(6):6607-6614.
77. Wang T, Fu F, Han B, Zhang L, Zhang X. Danshensu ameliorates the cognitive decline in streptozotocin-induced diabetic mice byattenuating advanced glycation end product-mediated neuroinflammation. *J Neuroimmunol.* 2012 Apr;245(1-2):79-86.
78. Zhang Y, Zhou L, Zhang X, Bai J, Shi M, Zhao G. Ginsenoside-Rd attenuates TRPM7 and ASIC1a but promotes ASIC2a expression in rats after focalcerebral ischemia. *Neurol Sci.* 2012 Oct;33(5):1125-1131.
79. Bi WY, Fu BD, Shen HQ, Wei Q, Zhang C, Song Z, Qin QQ, Li HP, Lv S, Wu SC, Yi PF, Wei XB. Sulfated Derivative of 20(S)-Ginsenoside Rh2 Inhibits Inflammatory Cytokines Through MAPKs andNF- $\kappa$ B Pathways in LPS-Induced RAW264.7 Macrophages. *Inflammation.* 2012 Oct;35(5):1659-1668
80. Fauzee NJ, Wang YL, Dong Z, Li QG, Wang T, Mandarry MT, Xu L, Pan J. Novel hydrophilic docetaxel (CQMU-0519) analogue inhibits proliferation and induces apoptosis inhuman A549 lung, SKVO3 ovarian and MCF7 breast carcinoma cell lines. *Cell Prolif.* 2012 Aug; 45(4):352-364.
81. Lin N, Chen H, Zhang H, Wan X, Su Q. Mitochondrial reactive oxygen species (ROS) inhibition ameliorates palmitate-induced INS-1 betacell death. *Endocrine.* 2012 Aug;42(1):107-117.
82. Liu P, Shi Y, Yang Y, Cao Y, Shi Y, Li H, Liu J, Lin J, Jin Y. Schistosoma Japonicum UDP-Glucose 4-Epimerase Protein Is Located on the Tegument andInduces Moderate Protection against Challenge Infection. *PLoS One.* 2012;7(7):e42050.
83. Li XJ, Liu DP, Chen HL, Pan XH, Kong QY, Pang QF. Lactoferrin protects against lipopolysaccharide-induced acute lung injury in mice. *Int Immunopharmacol.* 2012 Feb;12(2):460-464.
84. Zuo K, Li D, Pulli B, Yu F, Cai H, Yuan X, Zhang X, Lv Z. Short-hairpin RNA-mediated Heat shock protein 90 gene silencing inhibits human breast cancercell growth in vitro and in vivo. *Biochem Biophys Res Commun.* 2012 May 4;421(2):396-402.
85. Song Z, Li Y, Liu Y, Xin J, Zou X, Sun W.  $\alpha$ -Enolase, an Adhesion-Related Factor of Mycoplasma bovis. *PLoS One.* 2012; 7(6):e38836.
86. Ding Y, Huang X, Liu T, Fu Y, Tan Z, Zheng H, Zhou T, Dai J, Xu W. The Plasmodium Circumsporozoite Protein, a Novel NF- $\kappa$ B Inhibitor, Suppresses the Growth of SW480. *Pathol Oncol Res.* 2012 Oct; 18(4):895-902.
87. Hao M, Kuang HY, Fu Z, Gao XY, Liu Y, Deng W. Exenatide prevents high-glucose-induced damage of retinal ganglion cells through a mitochondrialmechanism. *Neurochem Int.* 2012 Jul;61(1):1-6.
88. Zhao S, Zhao G, Xie H, Huang Y, Hou Y. A conjugate of an anti-midkine single-chain variable fragment to doxorubicin inhibits tumorgrowth. *Braz J Med Biol Res.* 2012 Mar;45(3):230-237.
89. Zhong Y, Liu T, Guo Z. Curcumin inhibits ox-LDL-induced MCP-1 expression by suppressing the p38MAPK and NF- $\kappa$ Bpathways in rat vascular smooth muscle cells. *Inflamm Res.* 2012 Jan;61(1):61-67.
90. Liu M, Zhou G, Song W, Li P, Liu H, Niu X, Fan Y. Effect of nano-hydroxyapatite on the axonal guidance growth of rat cortical neurons. *Nanoscale.* 2012 May 21;4(10):3201-3207.
91. Zhang L, Jiang G, Yao F, He Y, Liang G, Zhang Y, Hu B, Wu Y, Li Y, Liu H. Growth inhibition and apoptosis induced by osthole, a natural coumarin, in hepatocellularcarcinoma. *PLoS One.* 2012;7(5):e37865.
92. Xie N, Wang C, Lian Y, Zhang H, Wu C, Zhang Q. A selective inhibitor of Drp1, mdivi-1, protects against cell death of hippocampal neurons in pilocarpine-inducedseizures in rats. *Neurosci Lett.* 2013 Jun 17;545:64-68.
93. Liu H, Wu Z, Shi X, Li W, Liu C, Wang D, Ye X, Liu L, Na J, Cheng H, Chen L.A typical PKC, regulated by Rho GTPases and Mek/Erk, phosphorylates Ezrin during eight-cellembyocompaction. *Dev Biol.* 2013 Mar 1;375(1):13-22.
94. Yue Y, Yang X, Wei X, Chen J, Fu N, Fu Y, Ba K, Li G, Yao Y, Liang C, Zhang J, Cai X, Wang M. Osteogenic differentiation of adipose-derived stem cells prompted by low-intensity pulsed ultrasound. *Cell Prolif.* 2013 Jun;46(3):320-327.
95. Yin Y, Liu W, Ji G, Dai Y. The essential role of p38 MAPK in mediating the interplay of oxLDL and IL-10 in regulating endothelial cellapoptosis. *Eur J Cell Biol.* 2013 Apr-May;92(4-5):150-159.
96. Chen N, Wu Q, Chi G, Soromou LW, Hou J, Deng Y, Feng H. Prime-O-glucosylcimifugin attenuates lipopolysaccharide-induced acute lung injury in mice. *Int Immunopharmacol.* 2013 Jun; 16(2):139-147.
97. Liu X, Wang M, Chen H, Guo Y, Ma F, Shi F, Bi Y, Li Y. Hypothermia protects the brain from transient global ischemia/reperfusion by attenuating endoplasmic reticulum response-induced apoptosis through CHOP. *PLoS One.* 2013;8(1):e53431.
98. Qin D, Li K, Qu J, Wang S, Zou C, Sheng Y, Huang A, Tang H. HBx and HBs regulate RhoC expression by upregulating transcription factor Ets-1. *Arch Virol.* 2013 Aug;158(8):1773-1781.
99. Jia F, Fan J, Zhang B, Yuan Z. Mutagenesis of D80-82 and G83 residues in West Nile Virus NS2B: effects on NS2B-NS3 activity and viralreplication. *Virol Sin.* 2013 Feb;28(1):16-23.
100. Li X, Wang X, Han C, Wang X, Xing G, Zhou L, Li G, Niu Y. Astragaloside IV suppresses collagen production of activated hepatic stellate cells via oxidative stress-mediatedp38 MAPK pathway. *Free Radic Biol Med.* 2013 Jul;60:168-176.
101. Yu SY, Zhang M, Luo J, Zhang L, Shao Y, Li G. Curcumin ameliorates memory deficits via neuronal nitric oxide synthase in aged mice. *Prog Neuropsychopharmacol Biol Psychiatry.* 2013 Aug 1;45:47-53.
102. Jin R, Zhu W, Cao S, Chen R, Jin H, Liu Y, Wang S, Wang W, Xiao G. Japanese encephalitis virus activates autophagy as a viral immune evasion strategy. *PLoS One.* 2013;8(1):e52909.
103. Wang Y, Li B, Li Z, Huang S, Wang J, Sun R. Improvement of hypoxia-ischemia-induced white matter injury in immature rat brain by ethyl pyruvate. *Neurochem Res.* 2013 Apr;38(4):742-752.
104. Hong JP, Li XM, Li MX, Zheng FL. VEGF suppresses epithelial-mesenchymal transition by inhibiting the expression of Smad3 and miR-192, aSmad3-dependent microRNA. *Int J Mol Med.* 2013 Jun;31(6):1436-1442.
105. Yan Y, Liu H, Wen H, Jiang X, Cao X, Zhang G, Liu G. The novel estrogen receptor GPER regulates the migration and invasion of ovarian

- cancer cells. *Mol Cell Biochem*. 2013 Jun;378(1-2):1-7.
- 106.Chen Y, Huang C, Bai C, Gao H, Ma R, Liu X, Dong Q. Benzo[ $\alpha$ ]pyrene repressed DNA mismatch repair in human breast cancer cells. *Toxicology*. 2013 Feb 8;304:167-172.
- 107.Zou M, Xia S, Zhuang L, Han N, Chu Q, Chao T, Peng P, Chen Y, Gui Q, Yu S.Knockdown of the Bcl-2 gene increases sensitivity to EGFR tyrosine kinase inhibitors in the H1975 lung cancer cell line harboring T790M mutation. *Int J Oncol*. 2013 Jun;42(6):2094-2102.
- 108.Xue H, Zhang XY, Liu JM, Song Y, Liu TT, Chen D. NDGA reduces secondary damage after spinal cord injury in rats via anti-inflammatory effects. *Brain Res*. 2013 Jun 21;1516:83-92.
- 109.Li L, Ye XP, Lu AZ, Zhou SQ, Liu H, Liu ZJ, Jiang S, Xu SY. Hyperglycemia magnifies bupivacaine-induced cell apoptosis triggered by mitochondria dysfunction and endoplasmic reticulum stress. *J Neurosci Res*. 2013 Jun;91(6):786-798.
- 110.Zhang H, Wang ZW, Wu HB, Li Z, Li LC, Hu XP, Ren ZL, Li BJ, Hu ZP.Transforming growth factor- $\beta$ 1 induces matrix metalloproteinase-9 expression in rat vascular smooth muscle cells via ROS-dependent ERK-NF- $\kappa$ B pathways. *Mol Cell Biochem*. 2013 Mar;375(1-2):11-21.
- 111.Yan T, Liu Y, Cui K, Hu B, Wang F, Zou L. MiR-126 regulates EPCs function: implications for a role of miR-126 in preeclampsia. *J Cell Biochem*. 2013 Sep;114(9):2148-2159.
- 112.Bi LQ, Zhu R, Kong H, Wu SL, Li N, Zuo XR, Zhou SM, Kou JP, Yu BY, Wang H, Xie WP. Ruscogenin attenuates monocrotaline-induced pulmonary hypertension in rats. *Int Immunopharmacol*. 2013 May; 16(1):7-16.
- 113.Li LL, Wang H. Enzyme-Coated Mesoporous Silica Nanoparticles as Efficient Antibacterial Agents In Vivo. *Adv Healthc Mater*. 2013 Oct; 2(10):1351-1360.
- 114.Zhang L, Xiao R, Xiong J, Leng J, Ehtisham A, Hu Y, Ding Q, Xu H, Liu S, Wang J, Tang DG, Zhang Q. Activated ERM protein plays a critical role in drug resistance of MOLT4 cells induced by CCL25. *PLoS One*. 2013;8(1):e52384.
- 115.Tang Y, Wang YL, Yang L, Xu JX, Xiong W, Xiao M, Li M. Inhibition of arginine ADP-ribosyltransferase 1 reduces the expression of poly(ADP-ribose) polymerase-1 in colon carcinoma. *Int J Mol Med*. 2013 Jul; 32(1):130-136.
- 116.Zou Y, Hong B, Fan L, Zhou L, Liu Y, Wu Q, Zhang X, Dong M. Protective effect of puerarin against beta-amyloid-induced oxidative stress in neuronal cultures from rat hippocampus: involvement of the GSK-3 $\beta$ /Nrf2 signaling pathway. *Free Radic Res*. 2013 Jan;47(1):55-63.
- 117.Ding J, Li QY, Yu JZ, Wang X, Lu CZ, Ma CG, Xiao BG. Carbamylated erythropoietin ameliorates hypoxia-induced cognitive and behavioral defects with the generation of choline acetyltransferase-positive neurons. *J Neurosci Res*. 2013 Jan;91(1):73-82.
- 118.Bai T, Lian LH, Wu YL, Wan Y, Nan JX. Thymoquinone attenuates liver fibrosis via PI3K and TLR4 signaling pathways in activated hepatic stellate cells. *Int Immunopharmacol*. 2013 Feb;15(2):275-281.
- 119.Qiu X, Cao L, Yang X, Zhao X, Liu X, Han Y, Xue Y, Jiang H, Chi Z. Role of mitochondrial fission in neuronal injury in pilocarpine-induced epileptic rats. *Neuroscience*. 2013 Aug 15;245:157-165.
- 120.Liu YW, Zhu X, Yang QQ, Lu Q, Wang JY, Li HP, Wei YQ, Yin JL, Yin XX. Suppression of methylglyoxal hyperactivity by mangiferin can prevent diabetes-associated cognitive decline in rats. *Psychopharmacology (Berl)*. 2013 Aug;228(4):585-594.
- 121.Wu W, Yang J, Feng X, Wang H, Ye S, Yang P, Tan W, Wei G, Zhou Y.MicroRNA-32 (miR-32) regulates phosphatase and tensin homologue (PTEN) expression and promotes growth,migration, and invasion in colorectal carcinoma cells. *Mol Cancer*. 2013 Apr 23;12:30.
- 122.Sun L, Zhao M, Yu XJ, Wang H, He X, Liu JK, Zang WJ. Cardioprotection by acetylcholine: a novel mechanism via mitochondrial biogenesis and function involving the PGC-1 $\alpha$  pathway. *J Cell Physiol*. 2013 Jun;228(6):1238-1248.
- 123.Gu Y,Zhao Y, Gong L, Wang Y, Zhang Y. Potassium aspartate attenuates apoptotic cell death after focal cerebral ischemia in rats. *Biomedicine & Aging Pathology*. 2013;3(1):14-19.
- 124.Hu X, Yang T, Li C, Zhang L, Li M, Huang W, Zhou P. Human fetal hepatocyte line, L-02, exhibits good liver function in vitro and in an acute liver failure model. *Transplant Proc*. 2013 Mar;45(2):695-700.
- 125.Xie B, Zhou J, Shu G, Liu DC, Zhou J, Chen J, Yuan L. Restoration of klotho gene expression induces apoptosis and autophagy in gastric cancer cells: tumorsuppressive role of klotho in gastric cancer. *Cancer Cell Int*. 2013 Feb 21;13(1):18.
- 126.He Y, He W, Qin G, Luo J, Xiao M. Transplantation KCNMA1 modified bone marrow-mesenchymal stem cell therapy for diabetes mellitus-induced erectile dysfunction. *Andrologia*. 2014 Jun;46(5):479-486.
- 127.Li M, Zhang Z, Yuan J, Zhang Y, Jin X. Altered glutamate cysteine ligase expression and activity in renal cell carcinoma. *Biomed Rep*. 2014 Nov;2(6):831-834.
- 128.Yuan J, Zhang Z, Li L, Song W. Resveratrol affects the expression of glutamate cysteine ligase in the kidneys of aged rats. *Exp Ther Med*. 2014 Jun;7(6):1762-1766.
- 129.Niu LN, Sun JQ, Li QH, Jiao K, Shen LJ, Wu D, Tay F, Chen JH. Intrafibrillar-silicified collagen scaffolds enhance the osteogenic capacity of human dental pulp stem cells. *J Dent*. 2014 Jul;42(7):839-849.
- 130.Xu H, Wang J, Chang Y, Xu J, Wang Y, Long T, Xue C. Fucoidan from the sea cucumber *Acaudina molpadioides* exhibits anti-adipogenic activity by modulating the Wnt/ $\beta$ -catenin pathway and down-regulating the SREBP-1c expression. *Food Funct*. 2014 Jul 25;5(7):1547-1555.
- 131.Tang W, Yuan Y, Liu C, Wu Y, Lu X, Qian J. Differential cytotoxicity and particle action of hydroxyapatite nanoparticles in human cancer cells. *Nanomedicine (Lond)*. 2014 Mar;9(3):397-412.
- 132.Li L, Wang L, Shangguan D, Wei Y, Han J, Xiong S, Zhao Z. Ultra-high-performance liquid chromatography electrospray ionization tandem mass spectrometry for accurate analysis of glycerophospholipids and sphingolipids in drug resistance tumor cells. *J Chromatogr A*. 2015 Feb 13;1381:140-8.
- 133.Hu Y, Lin X, Wang P, Xue YY, Li Z, Liu LB, Yu B, Feng TD, Liu YH. CRM197 in Combination With shRNA Interference of VCAM-1 Displays Enhanced Inhibitory Effects on Human Glioblastoma Cells. *J Cell Physiol*. 2015 Aug;230(8):1713-1728.
- 134.Dai C, Tang S, Velkov T, Xiao X. Colistin-Induced Apoptosis of Neuroblastoma-2a Cells Involves the Generation of Reactive Oxygen Species, Mitochondrial Dysfunction, and Autophagy. *Mol Neurobiol*. 2016 Sep;53(7):4685-700.
- 135.Li H, Jia Z, Li G, Zhao X, Sun P, Wang J, Fan Z, Lv G. Neuroprotective effects of exendin-4 in rat model of spinal cord injury via inhibiting mitochondrial apoptotic pathway. *Int J Clin Exp Pathol*. 2015 May 1;8(5):4837-43.
- 136.Zhang F, Yang F, Zhao H, An Y. Curcumin alleviates lung injury in diabetic rats by inhibiting NF- $\kappa$ B pathway. *Clin Exp Pharmacol Physiol*. 2015 Jun 26. doi:10.1111/1440-1681.12438.[Epub ahead of print]
- 137.Ni Q, Wan FQ, Jing YH, Dong XY, Zhang YC. Effect of Acute and Chronic Exposure to High Altitude on the Aerobic and Anaerobic Metabolism in Rats. *Anal Cell Pathol (Amst)*. 2015;2015:159549.
- 138.Wei H, Wang S, Zhen L, Yang Q, Wu Z, Lei X, Lv J, Xiong L, Xue R. Resveratrol attenuates the blood-brain barrier dysfunction by regulation of the MMP-9/TIMP-1 balance after cerebral ischemia reperfusion in rats. *J Mol Neurosci*. 2015 Apr;55(4):872-9.
- 139.Wang J, Chen L, Li H, Yang J, Gong Z, Wang B, Zhao X. Clopidogrel reduces apoptosis and promotes proliferation of human vascular endothelial cells induced by palmitic acid via suppression of the long non-coding RNA HIF1A-AS1 in vitro. *Mol Cell Biochem*. 2015 Jun;404(1-2):203-10.
- 140.Lv QY, Wan B, Guo LH, Zhao L, Yang Y. In vitro immune toxicity of polybrominated diphenyl ethers on murine peritoneal macrophages: apoptosis and immune cell dysfunction. *Chemosphere*. 2015 Feb; 120:621-30.
- 141.Wang Y, Wang B, Du F, Su X, Sun G, Zhou G, Bian X, Liu N. Epigallocatechin-3-Gallate Attenuates Oxidative Stress and Inflammation in Obstructive Nephropathy via NF- $\kappa$ B and Nrf2/HO-1 Signalling Pathway Regulation. *Basic Clin Pharmacol Toxicol*. 2015 Sep; 117(3):164-72.
- 142.Ailijiang N, Chang J, Liang P, Li P, Wu Q, Zhang X, Huang X. Electrical stimulation on biodegradation of phenol and responses of microbial communities in conductive carriers supported biofilms of the bio electrochemical reactor. *Bioresour Technol*. 2015 Nov 17;201:1-7.
- 143.Wang G, Kang N, Gong H, Luo Y, Bai C, Chen Y, Ji X, Huang C, Dong Q. Upregulation of uncoupling protein Ucp2 through acute cold exposure increases post-thaw sperm quality in zebrafish. *Cryobiology*. 2015 Dec;71(3):464-71.
- 144.Wang Y, Jiang Y, Ma N, Sang B, Hu X, Cong X, Liu Z. Overexpression of Hiwi Inhibits the Growth and Migration of Chronic Myeloid Leukemia Cells. *Cell Biochem Biophys*. 2015 Sep;73(1):117-24.
- 145.Zhang B, Peng X, Li G, Xu Y, Xia X, Wang Q. Oxidative stress is involved in Patulin induced apoptosis in HEK293 cells. *Toxicon*. 2015

Feb;94:1-7.

- 146.Hu Z, Gu Z, Sun M, Zhang K, Gao P, Yang Q, Yuan Y. Ursolic acid improves survival and attenuates lung injury in septic rats induced by cecal ligation and puncture. *J Surg Res.* 2015 Apr;194(2):528-36.
- 147.Tian Y, Guo S, Guo Y, Jian L. Anesthetic Propofol Attenuates Apoptosis, A $\beta$  Accumulation, and Inflammation Induced by Sevoflurane Through NF- $\kappa$ B Pathway in Human Neuroglioma Cells. *Cell Mol Neurobiol.* 2015 Aug;35(6):891-8.
- 148.Wang D, Shi J, Lv S, Xu W, Li J, Ge W, Xiao C, Geng D, Liu Y. Artesunate Attenuates Lipopolysaccharide-Stimulated Proinflammatory Responses by Suppressing TLR, MyD88 Expression, and NF- $\kappa$ B Activation in Microglial Cells. *Inflammation.* 2015 Oct;38(5):1925-32.
- 149.Cheng Y, Yang X, Deng X, Zhang X, Li P, Tao J, Lu Q. MicroRNA-218 inhibits bladder cancer cell proliferation, migration, and invasion by targeting BMI-1. *Tumour Biol.* 2015 Sep;36(10):8015-23.
- 150.Ma K, Wu HY, Zhang B, He X, Li BX. Neurotoxicity effects of atrazine-induced SH-SY5Y human dopaminergic neuroblastoma cells via microglial activation. *Mol Biosyst.* 2015 Oct 13;11(11):2915-24.
- 151.Zhu D, Wang H, Zhang J, Zhang X, Xin C, Zhang F, Lee Y, Zhang L, Lian K, Yan W, Ma X, Liu Y, Tao L. Irisin improves endothelial function in type 2 diabetes through reducing oxidative/nitrative stresses. *J Mol Cell Cardiol.* 2015 Oct;87:138-47.
- 152.Wu J, Li H, Sun X, Zhang H, Hao S, Ji M, Yang J, Li K. A Mitochondrion-Targeted Antioxidant Ameliorates Isoflurane-Induced Cognitive Deficits in Aging Mice. *PLoS One.* 2015 Sep 17; 10(9):e0138256.
- 153.Cao W, Li M, Li J, Li C, Xu X, Gu W. Geranylgeranylacetone ameliorates lung ischemia/reperfusion injury by HSP70 and thioredoxin redox system: NF- $\kappa$ B pathway involved. *Pulm Pharmacol Ther.* 2015 Jun;32:109-15.
- 154.Shen W, Wang L, Pi R, Li Z, Rikang Wang. L-F00, a multifunctional ROCK inhibitor prevents paraquat-induced cell death through attenuating ER stress and mitochondrial dysfunction in PC12 cells. *Biochem Biophys Res Commun.* 2015 Aug 28;464(3):794-9.
- 155.Cao Q, Jiang Y, Shi J, Xu C, Liu X, Yang T, Fu P, Niu T. Artemisinin inhibits the proliferation, migration, and inflammatory reaction induced by tumor necrosis factor- $\alpha$  in vascular smooth muscle cells through nuclear factor kappa B pathway. *J Surg Res.* 2015 Apr;194(2):667-78.
- 156.Chen L, Mao F, Kirumba GC, Jiang C, Manefield M, He Y. Changes in metabolites, antioxidant system, and gene expression in *Microcystis aeruginosa* under sodium chloride stress. *Ecotoxicol Environ Saf.* 2015 Dec;122:126-35.
- 157.Chen G, Tan ML, Li KK, Leung PC, Ko CH. Green tea polyphenols decreases uric acid level through xanthine oxidase and renal urate transporters in hyperuricemic mice. *J Ethnopharmacol.* 2015 Dec 4;175:14-20.
- 158.Ruan J, Lou S, Dai Q, Mao D, Ji J, Sun X. Tumor suppressor miR-181c attenuates proliferation, invasion, and self-renewal abilities in glioblastoma. *Neuroreport.* 2015 Jan 21;26(2):66-73.
- 159.Guo S, Feng Z. Galectin-3 mediates the effect of PDGF on pulmonary arterial hypertension. *Int J Clin Exp Med.* 2015 Sep 15;8(9):15302-7.
- 160.Yu C, Zhou Z, Wang J, Sun J, Liu W, Sun Y, Kong B, Yang H, Yang S. In depth analysis of apoptosis induced by silica coated manganese oxide nanoparticles in vitro. *J Hazard Mater.* 2015;283:519-28.
- 161.Du Z, Yang Q, Liu L, Li S, Zhao J, Hu J, Liu C, Qian D, Gao C. NADPH oxidase 2-dependent oxidative stress, mitochondrial damage and apoptosis in the ventral cochlear nucleus of D-galactose-induced aging rats. *Neuroscience.* 2015 Feb 12;286:281-92.
- 162.Liang M, Jin S, Wu DD, Wang MJ, Zhu YC. Hydrogen sulfide improves glucose metabolism and prevents hypertrophy in cardiomyocytes. *Nitric Oxide.* 2015 Apr 30;46:114-22.
- 163.Chen O, Ye Z, Cao Z, Manaenko A, Ning K, Zhai X, Zhang R, Zhang T, Chen X, Liu W, Sun X. Methane attenuates myocardial ischemia injury in rats through anti-oxidative, anti-apoptotic and anti-inflammatory actions. *Free Radic Biol Med.* 2015 Nov 14;90:1-11.
- 164.Hu H, Gao L, Wang C, Li Y, Ma H, Chen L, Qin J, Liu B, Liu Y, Liang C. Lower serum soluble-EGFR is a potential biomarker for metastasis of HCC demonstrated by N-glycoproteomic analysis. *Discov Med.* 2015 May;19(106):333-41.
- 165.Pei G, Liu G, Pan X, Pang Y, Li Q. L-C1qDC-, a novel C1q domain-containing protein from *Lethenteron camtschaticum* that is involved in the immune response. *Dev Comp Immunol.* 2016 Jan;54(1):66-74. Bai J, Zheng Y, Wang G, Liu P. Protective Effect of D-Limonene against Oxidative Stress-Induced Cell Damage in Human Lens Epithelial Cells via the p38 Pathway. *Oxid Med Cell Longev.* 2016;2016:5962832.
- 166.Fu X, Pang X, Qi H, Chen S, Li Y, Tan W. XIAP inhibitor Embelin inhibits bladder cancer survival and invasion in vitro. *Clin Transl Oncol.* 2016 Mar;18(3):277-82.
- 167.Peng X, Zhang YY, Wang J, Ji Q. Ethylacetate extract from *Tetrastigma hemsleyanum* induces apoptosis via the mitochondrial caspase-dependent intrinsic pathway in HepG2 cells. *Tumour Biol.* 2016 Jan;37(1):865-76.
- 168.Yan X, Wu L, Li B, Meng X, Dai H, Zheng Y, Fu J. Cyanidin-3-O-glucoside Induces Apoptosis and Inhibits Migration of Tumor Necrosis Factor- $\alpha$ -Treated Rat Aortic Smooth Muscle Cells. *Cardiovasc Toxicol.* 2016 Jul;16(3):251-9.
- 169.Li L, Wu R, Yan G, Gao M, Deng C, Zhang X. A novel method to isolate protein N-terminal peptides from proteome samples using sulphydryl tagging and gold-nanoparticle-based depletion. *2016 Jan;408(2):441-8.*
- 170.Zhang R, Li L, Yuan L, Zhao M. Hypoxic preconditioning protects cardiomyocytes against hypoxia/reoxygenation-induced cell apoptosis via sphingosine kinase 2 and FAK/AKT pathway. *Exp Mol Pathol.* 2016 Feb;100(1):51-8.

注：更多使用本产品的文献请参考产品网页。

Version 2017.11.21